

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name EASY-OFF® BBQ Grill Cleaner - Aerosol

UPC CODES Refer to Section 16

CAS # Mixture
Product use Cleaner

Manufacturer Reckitt Benckiser

Morris Corporate Center IV 399 Interpace Parkway

P.O. Box 225

Parsippany, NJ 07054-0225

In Case of Emergency: 1-800-228-4722
Transportation Emergencies: 24 Hour Number:

North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND
HMIS/NFPA

Severe 4
Serious 3
Moderate 2
Slight 1
Minimal 0





2. Hazards Identification

Emergency overview CAUTION

EYE IRRITANT

Contains Monoethanolamine and Diethylene Glycol n-Butyl Ether

Contents under pressure. DO NOT get in eyes.

Wash hands after application and removal. Do not puncture or incinerate container.

DO NOT expose to heat or store at temperatures above 120°F (49°C).

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation.

Eyes Irritating to eyes.

Skin None expected during normal conditions of use. **Inhalation** None expected during normal conditions of use.

However intentional misuse by deliberately concentrating and inhaling the contents may

be harmful or fatal.

Ingestion Health injuries are not known or expected under normal use.

Target organs Eyes. Respiratory system. Skin. Gastrointestinal tract.

Chronic effects The finished product is not expected to have chronic health effects.

Signs and symptoms irritation

3. Composition / Information on Ingredients

Ingredient(s)	CAS#	Percent
Carbonic acid, dipotassium salt	584-08-7	2.5 - 10
Ethanol, 2-(2-butoxyethoxy)-	112-34-5	2.5 - 10
Ethanol, 2-amino-	141-43-5	2.5 - 10
Isobutane	75-28-5	2.5 - 10

#19748 Page 1 of 7 Issue date 10-Feb-2010

4. First Aid Measures

First aid procedures

Eye contact If in eyes, IMMEDIATELY flush eyes with water. Remove any contact lenses and

continue to flush eyes for at least 15 minutes. If irritation persists, get medical attention.

Skin contact Wash off immediately with soap and plenty of water. Get medical attention if irritation

develops or persists.

Inhalation Move to fresh air. If symptoms develop or persist, seek medical advice.

Ingestion Rinse mouth with water. If symptoms persist, call a physician or Poison Control Centre

immediately. Do not induce vomiting. Never give anything by mouth to an unconscious

person.

Notes to physician Treat patient symptomatically.

General advice Do not puncture or incinerate container. If you feel unwell, seek medical advice (show

the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties Aerosol flame extension less than 18 inches (45 cm).

Extinguishing media

Suitable extinguishing media Dry chemical. Carbon dioxide. Water spray.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from

the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

Protective equipment for

firefighters

Firefighters should wear full protective clothing including self contained breathing

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

apparatus.

Hazardous combustion products

Explosion data

Not available

Sensitivity to mechanical impact

Sensitivity to static discharge

Not available

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Do not touch or walk through spilled material. Do

not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Methods for containment Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Stop leak if you can do so without risk. Prevent entry into waterways, sewers,

basements or confined areas.

Methods for cleaning up Before attempting clean up, refer to hazard data given above. Remove sources of

ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a

non-flammable absorbent such as sand or vermiculite.

7. Handling and Storage

Handling CAUTION

Contents under pressure. CAUSES EYE IRRITATION. Do not puncture or incinerate

container.

Use good industrial hygiene practices in handling this material. When using do not eat

or drink. Wash hands after handling and before eating.

Storage Keep out of reach of children. Do not store at temperatures above 49 °C (120.2°F).

Avoid freezing to prevent bursting of the container. Store in original container in a cool,

secure area inaccessible to children and pets.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

#19748 Page 2 of 7 Issue date 10-Feb-2010

8. Exposure Controls /	Personal Protection
------------------------	----------------------------

Exposure limits	
Ingredient(s)	Exposure Limits
Carbonic acid, dipotassium salt	ACGIH-TLV
	Not established
	OSHA-PEL
	Not established
Ethanol, 2-(2-butoxyethoxy)-	ACGIH-TLV
	Not established
	OSHA-PEL
	Not established
Ethanol, 2-amino-	ACGIH-TLV
	TWA: 3 ppm
	STEL: 6 ppm
	OSHA-PEL
	TWA: 3 ppm
Isobutane	ACGIH-TLV
	TWA: 1000 ppm
	OSHA-PEL
	Not established

Engineering controls Provide adequate ventilation.

Personal protective equipment

Eye / face protection Avoid contact with eyes.

tightly fitting safety goggles

Emergency responders should wear full eye and face protection.

Hand protection No special requirements under normal use conditions.

Emergency responders should wear impermeable gloves.

Skin and body protection As required by employer code.

Emergency responders should wear impermeable clothing and footwear when

responding to a situation where contact with the liquid is possible.

Respiratory protection Not normally required under normal use conditions.

Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid

inhalation of vapours generated by this product during a spill or other clean-up

operations.

General hygiene considerations Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial

hygiene and safety practice. When using do not eat or drink. Wash hands and face

before breaks and immediately after handling the product.

9. Physical and Chemical Properties

AppearanceFoamy SprayColorLight tan to White.

Form Aerosol.

Odor Lemon.

Odor threshold Not available

Physical state Gas pH 12.5

Freezing point

Pour point

Not available

Not available

Not applicable

Flash point

Not applicable

> 200 °F (> 93.33 °C)

Evaporation rate Not available

#19748 Page 3 of 7 Issue date 10-Feb-2010

Flammability limits in air, lower, % Not available

by volume

Flammability limits in air, upper, % Not available

by volume

Vapor pressure Not determined Vapor density Not determined

Specific gravity 1.052 @ 25°C (Concentrate)

Octanol/water coefficientNot availableSolubility (H2O)>95% @ 70°FAuto-ignition temperatureNot availableViscosityNot available

10. Stability and Reactivity

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Aerosol containers are unstable at temperatures above 49°C (120.2°F). Do not mix with

other chemicals. Heat, open flames, static discharge, sparks and other ignition sources.

Do not freeze.

Do not spray on pilot light, electrical connections, switch, heating elements, or

thermostats.

Do not spray onto aluminum or painted surfaces as damage to these surfaces may

occur.

Acids.

Do not use on grill exterior, interior or components.

Incompatible materials

Hazardous decomposition products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

Possibility of hazardous reactions Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50		
Ingredient(s)	LC50	
Carbonic acid, dipotassium salt	Not available	
Ethanol, 2-(2-butoxyethoxy)-	Not available	
Ethanol, 2-amino-	1210 mg/m3 mouse	
Isobutane	658 mg/l/4h rat	
Component analysis - Oral LD50		
Ingredient(s)	LD50	
Carbonic acid, dipotassium salt	1870 mg/kg rat; 2570 mg/m3 mouse	
Ethanol, 2-(2-butoxyethoxy)-	2000 mg/kg guinea pig; 3384 mg/kg rat; 2200 mg/kg rabbit	
Ethanol, 2-amino-	1720 mg/kg rat; 700 mg/kg mouse	
Isobutane	Not available	

Effects of acute exposure

Eye Irritating to eyes.

Skin None expected during normal conditions of use. **Inhalation** None expected during normal conditions of use.

However intentional misuse by deliberately concentrating and inhaling the contents may

be harmful or fatal.

Ingestion Health injuries are not known or expected under normal use.

Sensitization
The finished product is not expected to have chronic health effects.
Chronic effects
The finished product is not expected to have chronic health effects.
Carcinogenicity
The finished product is not expected to have chronic health effects.
Mutagenicity
The finished product is not expected to have chronic health effects.
The finished product is not expected to have chronic health effects.
The finished product is not expected to have chronic health effects.
Teratogenicity
The finished product is not expected to have chronic health effects.

Synergistic Materials Not available

#19748 Page 4 of 7 Issue date 10-Feb-2010

12. Ecological Information

12. Ecological informatio

Components of this product have been identified as having potential environmental concerns.

Ecotoxicity - Freshwater Algae Data

Ecotoxicity

Ethanol, 2-(2-butoxyethoxy)
112-34-5

96 Hr EC50 Desmodesmus subspicatus: >100 mg/L

Ethanol, 2-amino
141-43-5

72 Hr EC50 Desmodesmus subspicatus: 15 mg/L

Ecotoxicity - Freshwater Fish Species Data

Ethanol, 2-(2-butoxyethoxy)- 112-34-5 96 Hr LC50 Lepomis macrochirus: 1300 mg/L [static]

Ethanol, 2-amino
141-43-5

96 Hr LC50 Pimephales promelas: 227 mg/L [flow-through]; 96 Hr LC50 Brachydanio rerio: 3684 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 300-1000 mg/L [static]; 96 Hr

rerio: 3684 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 300-1000 mg/L [static]; 96 H LC50 Oncorhynchus mykiss: 114-196 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss:

>200 mg/L [flow-through]

Ecotoxicity - Microtox Data

Ethanol, 2-amino- 141-43-5 30 Min EC50 Photobacterium phosphoreum: 13.7 mg/L; 17 Hr EC50 Pseudomonas

putida: 110 mg/L; 2 Hr EC50 Nitrosomonas: 12200 mg/L

Ecotoxicity - Water Flea Data

Ethanol, 2-(2-butoxyethoxy)- 112-34-5 24 Hr EC50 Daphnia magna: >100 mg/L

Ethanol, 2-amino- 141-43-5 48 Hr EC50 Daphnia magna: 65 mg/L

Environmental effects

Aquatic toxicity

Persistence / degradability

Bioaccumulation / accumulation

Partition coefficient

Mobility in environmental media

Chemical fate information

Not available

Not available

Not available

13. Disposal Considerations

Waste codes Not available

Disposal instructions Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Not available

Contaminated packaging Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN1950, Aerosols, Class 2.2 (8), Re-classed as Consumer Commodity ORM-D, FORBIDDEN FROM AIR TRANSPORT

#19748 Page 5 of 7 Issue date 10-Feb-2010

UN1950, Aerosols, Class 2.2 (8), Re-classed as Consumer Commodity/ Limited Quantity, FORBIDDEN FROM AIR TRANSPORT

IMDG (Marine Transport)

UN1950, Aerosols, Class 2.2 (8), Limited Quantity

IATA/ICAO (Air)

UN 1950, Aerosols, non-flammable, containing substances in Class 8, Packing Group II, 2.2 (8), FORBIDDEN FROM AIR TRANSPORT

15. Regulatory Information

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

Product Registration: Not registered

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Ethanol, 2-(2-butoxyethoxy)- 112-34-5 1 Lb statutory RQ (no final RQ is being assigned to the generic or broad class. Includes

mono- and di- ethers of ethylene glycol, diethylene glycol and triethylene glycol R-(OCH2CH2)n-OR" where n=1,2 or 3,R= alkyl or aryl groups, R"=R h or groups which when removed yield glycol ethers with the structure R-(OCH2CH2)n-OH. Polymers

are excluded from glycol category); 0.454 k

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Ethanol, 2-(2-butoxyethoxy)- 112-34-5 1.0 Percent de minimis concentration (applies to R-(OCH2CH2)n-OR' ethers, where n =

1,2, or 3, R=alkyl C7 or less or R = phenyl or alkyl subst. phenyl, R' = H or alkyl C7 or less, or OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate,

Chemical Category N230)

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous Yes

chemical

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available
Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause

cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Ethanol, 2-amino- 141-43-5 Present

U.S. - Illinois - Toxic Air Contaminants

Ethanol, 2-(2-butoxyethoxy)- 112-34-5 Present Ethanol, 2-amino- 141-43-5 Present U.S. - Louisiana - Reportable Quantity List for Pollutants

Ethanol, 2-(2-butoxyethoxy)- 112-34-5 100 Lb RQ

U.S. - Massachusetts - Right To Know List

Ethanol, 2-amino- 141-43-5 Present Isobutane 75-28-5 Present

U.S. - Minnesota - Hazardous Substance List

 Ethanol, 2-amino 141-43-5
 Present

 U.S. - New Jersey - Right to Know Hazardous Substance List

 Ethanol, 2-(2-butoxyethoxy) 112-34-5
 sn 2265

 Ethanol, 2-amino 141-43-5
 sn 0835

 Isobutane
 75-28-5
 sn 1040

U.S. - Pennsylvania - RTK (Right to Know) List

Ethanol, 2-(2-butoxyethoxy)- 112-34-5 environmental hazard

Ethanol, 2-amino- 141-43-5 Present Isobutane 75-28-5 Present

U.S. - Rhode Island - Hazardous Substance List

Ethanol, 2-amino- 141-43-5 Toxic; Flammable

Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)*United States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer This product should only be used as directed on the label and for the purpose intended.

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only

hazards that exist.

Further information 62338-81817 - EASY-OFF® BBQ Grill Cleaner - Aerosol - 16 oz. - 0192178

62338-82382 - EASY-OFF® BBQ Grill Cleaner - Aerosol - 24 oz. - 0192178

Issue date 10-Feb-2010
Effective date 01-Feb-2010

Prepared by Reckitt Benckiser Regulatory Department 800-333-3899

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.